

Interactive comment on “The potential importance of frost flowers, recycling on snow, and open leads for Ozone Depletion Events” by M. Piot and R. von Glasow

M. Piot and R. von Glasow

Received and published: 23 November 2007

We want to thank all three reviewers for their thoughtful and thorough reading of our manuscript and for their comments. We are replying to these comments below and have included the comments for convenience. Our replies are preceded by ‘Reply:’.

*** Anonymous Referee - #2 ***

“In the description of the initial parameters of the model it is unclear to me as to the initial abundance, if any, of halogens in the snow pack”.

Reply: The reviewer is right mentioning that the initial concentrations of halides in the snowpack are set to zero prior to the passage over Frost Flowers (FF). It is also right

Full Screen / Esc

Printer-friendly Version

Interactive Discussion

Discussion Paper

that this configuration does not necessarily represent the typical composition of the snow in the Arctic. Nevertheless, it is possible to encounter a polar snow surface which contains negligible amounts of halogen within this surface (e.g., multi-year sea ice). We intentionally avoided the presence of halides in the snowpack for the following reasons:

First, we intended to isolate the potential influence of only FF aerosols on ozone/bromine. Adding an additional source of halogens before the FF area would probably have an effect on the bromine explosion, depending on the strength of the source. However, this configuration would not allow a comprehensive understanding of the potential influence of the FFs only, on the ozone/bromine chemistry.

Second, the concentration of halides in snow varies drastically, depending on the meteorology, time, and geography. Adding some concentration of salt halides to the snow composition would simply mean another assumption, which we would rather avoid. As proposed by the reviewer this limitation in our runs has been noted in the model description.

“The dependence of reaction (14), and hence the release of gas phase bromine from ionic bromine, should probably be referenced to [[Fickert et al.\(1999\)](#)].”

Reply: [[Fickert et al.\(1999\)](#)] is cited for the release of gas phase bromine in the paragraph following Reaction (19), with a more general statement. We have now added it earlier in the text to better highlight this paper.

“However surface snow in the vicinity of frost flowers is sufficiently acidic to support reaction (14) suggesting acidification is rapid at high latitudes as well [[Kalnajs and Avallone\(2006\)](#)]. Section 3.4 would be strengthened by referencing observational evidence that supports your conclusion that bromine release and therefore ozone depletion events are not significantly affected by carbonate precipitation.”

Reply: We have added the measurements made by [[Kalnajs and Avallone\(2006\)](#)] to the text (p. 4534, l. 20). In addition, a note has been added to mention the laboratory

[Full Screen / Esc](#)[Printer-friendly Version](#)[Interactive Discussion](#)[Discussion Paper](#)

Interactive
Comment

work from [Adams et al.(2002)] who found no significant influence of the pH on the release of reactive bromine from frozen halide-containing surfaces. The pH of snow is a very ill-defined property. What is measured, is the pH of melted snow, it does not give information as to whether this acidity is actually available for reactions important for the atmosphere.

“It may also be interesting to confirm that the modeled frost flowers are not acidified before release as aerosols, even with substantial carbonate precipitation”

Reply: We agree with the reviewer that a lot more experimental and modeling studies are needed. We will try to study this in future versions of MISTRA, coupled to a snow model.

“On a technical note, the figures included with the paper are difficult to understand, and in some cases not of a quality suitable for publication”

Reply: We agree with the reviewer and have improved the quality of the plots and have suppressed compression artefacts.

“The lack of legends on the individual plots makes comprehension difficult”

Reply: Legends are only missing for plots similar to Fig. 2k and 2l. We have added legends to these plots.

“Finally I question the need to have over 75 individual plots included in this paper”

Reply: The chemistry highlighted in this paper is complicated. We agree that it contains a large number of individual plots. However, we believe these plots are necessary to fully understand the text. Suppressing plots or moving them to a supplement to this paper would, in our opinion, only reduce the comprehension of the reader.

[Full Screen / Esc](#)[Printer-friendly Version](#)[Interactive Discussion](#)[Discussion Paper](#)

References

- [Abbatt(1994)] Abbatt, J. P. D.: Heterogeneous reaction of HOBr with HBr and HCl on ice surfaces at 228K, *Geophys. Res. Lett.*, 21 (8), 665–668, 1994.
- [Adams et al.(2002)] Adams, J. W., Holmes, N. S., and Crowley, J. N.: Uptake and Reaction of HOBr on Frozen and dry Salt Surfaces, *Atmos. Chem. Phys.*, 2, 79–91, 2002.
- [Albert et al.(2002)] Albert, M. R., Grannas, A. M., Bottenheim, J., Shepson, P. B., and Perron, F. E.: Processes and properties of snow-air transfer in the high Arctic with applications to interstitial ozone at Alert, Canada, *Atmos. Environ.*, 36, 2779–2787, 2002.
- [Argentini et al.(2003)] Argentini, S., Viola, A. P., Mastrantonio, G., Maurizi, A., Georgiadis, T., and Nardino, M.: Characteristics of the boundary layer at Ny-Ålesund in the Arctic during the ARTIST field experiment, *Annals Geoph.*, 46, 185–195, 2003.
- [Bottenheim et al.(2002)] Bottenheim, J. W., Fuentes, J. D., Tarasick, D. W., and Anlauf, K. G.: Ozone in the Arctic Lower Troposphere During Winter and Spring 2000 (ALERT2000), *Atmos. Environ.*, 36, 2535–2544, 2002.
- [Dominé et al.(2005)] Dominé, F., Taillandier, A. S., Simpson, W. R., and Severin, K.: Specific surface area, density and microstructure of frost flowers, *Geophys. Res. Lett.*, 32, L13 502, doi:10.1029/2005GL023 245, 2005.
- [Fickert et al.(1999)] Fickert, S., Adams, J. W., and Crowley, J. N.: Activation of Br₂ and BrCl via uptake of HOBr onto aqueous salt solutions, *J. Geophys. Res.*, 104 (D19), 23 719–23 727, doi:10.1029/1999JD900 359, 1999.
- [Foster et al.(2001)] Foster, K. L., Plastridge, R. A., Bottenheim, J. W., Shepson, P. B., Finlayson-Pitts, B. J., and Spicer, C. W.: The Role of Br₂ and S7171

BrCl in Surface Ozone Destruction at Polar Sunrise, *Science*, 291, 471–474, doi:10.1126/science.291.5503.471, 2001.

[Georgiadis et al.(2000)] Georgiadis, T., Bonafé, U., Calzolari, F., Nardino, M., Orsini, A., Pirazzini, R., Ravegnani, F., Sozzi, R., Trivellone, G., and Argentini, S.: Study of the surface energy balance at Ny-Ålesund, Svalbard, *Conference Proceedings-Italian Physical Society*, 69, 163–174, 2000.

[Gong et al.(1997)] Gong, S. L., Barrie, L. A., Prospero, J. M., Savoie, D. L., Ayers, G. P., Blanchet, J.-P., and Spacek, L.: Modeling sea-salt aerosols in the atmosphere: 2. Atmospheric concentrations and fluxes, *J. Geophys. Res.*, 102, 3819–3830, 1997.

[Grannas et al.(2002)] Grannas, A. M., Shepson, P. B., Guimbaud, C., Sumner, A. L., Albert, M., Simpson, W., Dominé, F., Boudries, H., Bottenheim, J., Beine, H. J., Honrath, R., and Zhou, X.: A study of photochemical and physical processes affecting carbonyl compounds in the Arctic atmospheric boundary layer, *Atmos. Environ.*, 36, 2733–2742, 2002.

[Hafskjold et al.(1993)] Hafskjold, B., Ikeshojit, T., and Ratkjes, S. K.: On the molecular mechanism of thermal diffusion in liquids, *Mol. Phys.*, 80 (6), 1389–1412, 1993.

[Hansen et al.(1999)] Hansen, J. C., Li, Y., Francisco, J. S., and Li, Z.: On the Mechanism of the BrO + CH₂O Reaction, *J. Phys. Chem. A*, 103, 8543–8546, 1999.

[Hartmann et al.(1999)] Hartmann, J., Albers, F., Argentini, S., Borchert, A., Bonafé, U., Cohrs, W., Conidi, A., Freese, D., Georgiadis, T., Ippoliti, A., Kaleschke, L., Lüpkes, C., Maixner, U., Mastrantonio, G., Ravegnani, F., Reuter, A., Trivellone, G., and Viola, A.: Reports on Polar Research. Arctic Radiation and Turbulence Interaction Study (ARTIST), Alfred-Wegener-Institute for Polar and Marine Res., Bremerhaven, Germany, 1999.

Full Screen / Esc

Printer-friendly Version

Interactive Discussion

Discussion Paper

- [Hoff and Trivett(1984)] Hoff, R. M. and Trivett, N. B. A.: Ground-based measurements of Arctic haze made at Alert, N.W.T., Canada, during the Arctic Gas and Aerosol Sampling Project (AGASP), *Geophys. Res. Lett.*, 11, 389–392, 1984.
- [Hollwedel(2005)] Hollwedel, J. C.: Observations of Tropospheric and Stratospheric Bromine Monoxide from Satellite, Ph.D. thesis, Universität Heidelberg, 2005.
- [Huff and Abbatt(2000)] Huff, A. K. and Abbatt, J. P. D.: Gas-Phase Br₂ Production in Heterogeneous Reactions of Cl₂, HOCl, and BrCl with Halide-Ice Surfaces, *J. Phys. Chem. A*, 104, 7284–7293, 2000.
- [Kalnajs and Avallone(2006)] Kalnajs, L. E. and Avallone, L. M.: Frost flower influence on springtime boundary-layer ozone depletion events and atmospheric bromine levels, *Geophys. Res. Lett.*, 33, 10810–+, 10.1029/2006GL025809, 2006.
- [Keil and Shepson(2006)] Keil, A. D. and Shepson, P. B.: Chlorine and bromine atom ratios in the springtime Arctic troposphere as determined from measurements of halogenated volatile organic compounds, *J. Geophys. Res.*, 111, D17303, doi:10.1029/2006JD007119, 2006.
- [Kempers(1989)] Kempers, L. J. T. M.: A thermodynamic theory of the Soret effect in a multicomponent liquid, *J. Chem. Phys.*, 90 (11), 6541–6548, 1989.
- [Koop et al.(2000)] Koop, T., Kapilashrami, A., Molina, L. T., and Molina, M. J.: Phase transitions of sea-salt/water mixtures at low temperatures: Implications for ozone chemistry in the polar marine boundary layer, *J. Geophys. Res.*, 105 (D21), 26393–26402, doi:2000JD900413, 2000.
- [Landgraf and Crutzen(1998)] Landgraf, J. and Crutzen, P.: An Efficient Method for 'On-Line' Calculations of Photolysis and Heating Rates, *J. Atmos. Sci.*, 55, 863–878, 1998.

[Full Screen / Esc](#)[Printer-friendly Version](#)[Interactive Discussion](#)[Discussion Paper](#)

- [Li and Winchester(1989)] Li, S.-H. and Winchester, J. W.: Resolution of ionic components of late winter Arctic aerosols, *Atmos. Environ.*, 23 (11), 2387–2399, 1989.
- [McElroy et al.(1999)] McElroy, C. T., McLinden, C. A., and McConnell, J. C.: Evidence for bromine monoxide in the free troposphere during the Arctic polar sunrise, *Nature*, 397, 338–340, 1999.
- [Morales Maqueda et al.(2004)] Morales Maqueda, M. A., Willmott, A. J., and Biggs, N. R. T.: Polynyas dynamics: A review of observations and modeling, *Review of Geophysics*, 42, 1–37, 2004.
- [Morin et al.(2005)] Morin, S., Hoenninger, G., Staebler, R. M., and Bottenheim, J.: A high time resolution study of boundary layer ozone chemistry and dynamics over the Arctic ocean near Alert, Nunavut, *Geophys. Res. Lett.*, 32, doi:10.1029/GL2004022098, 2005.
- [Orlando et al.(2000)] Orlando, J. J., Ramacher, B., and Tyndall, G. S.: Upper Limits for the Rate Coefficients for Reactions of BrO with Formaldehyde and HBr, *Geophys. Res. Lett.*, 27, 2633–2636, doi: 10.1029/2000GL011725, 2000.
- [Oum et al.(1998)] Oum, K. W., Lakin, M. J., and Finlayson-Pitts, B. J.: Bromine activation in the troposphere by the dark reaction of O₃ with seawater ice, *Geophys. Res. Lett.*, 25 (21), 3923–3926, 1998.
- [Peterson and Honrath(2001)] Peterson, M. C. and Honrath, R. E.: Observations of Rapid Photochemical Destruction of Ozone in Snowpack Interstitial Air, *Geophys. Res. Lett.*, 28 (3), 511–514, doi:2000GL012129, 2001.
- [Rankin et al.(2000)] Rankin, A. M., Auld, V., and Wolff, E. W.: Frost flowers as a source of fractionated sea salt aerosol in the polar regions, *Geophys. Res. Lett.*, 27 (21), 3469–3472, doi:2000GL011771, 2000.

[Full Screen / Esc](#)[Printer-friendly Version](#)[Interactive Discussion](#)[Discussion Paper](#)

- [Sander et al.(1997)] Sander, R., Vogt, R., Harris, G. W., and Crutzen, P. J.: Modeling the chemistry of ozone, halogen compounds, and hydrocarbons in the arctic troposphere during spring, *Tellus*, 49B (5), 522–532, 1997.
- [Schnell et al.(1989)] Schnell, R. C., Barry, R. G., Miles, M. W., Andreas, E. L., Radke, L. F., Brock, C. A., McCormick, M. P., and Moore, J. L.: Lidar detection of leads in Arctic sea ice, *Nature*, 339, 530–532, doi:10.1038/339530a0, 1989.
- [Serreze et al.(1992)] Serreze, M. C., Kahl, J. D., and Schnell, R. C.: Low-level temperature inversions of the Eurasian Arctic and comparisons with Soviet drifting station data, *J. Climate*, 5 (6), 1992.
- [Simpson et al.(2005)] Simpson, W. R., Alvarez-Aviles, L., Douglas, T. A., Sturm, M., and Dominé, F.: Halogens in the coastal snow pack near Barrow, Alaska: Evidence for active bromine air-snow chemistry during springtime, *Geophys. Res. Lett.*, 32, L04811, doi: 10.1029/2004GL021748, 2005.
- [Simpson et al.(2007)] Simpson, W. R., von Glasow, R., Riedel, K., Anderson, P., Ariya, P., Bottenheim, J., Burrows, J., Carpenter, L., Frieß, U., Goodsite, M. E., Heard, D., Hutterli, M., Jacobi, H.-W., Kaleschke, L., Neff, B., Plane, J., Platt, U., Richter, A., Roscoe, H., Sander, R., Shepson, P., Sodeau, J., Steffen, A., Wagner, T., and Wolff, E.: Halogens and their role in polar boundary-layer ozone depletion, *Atmos. Chem. Phys.*, 7, 4375–4418, 2007.
- [Smith et al.(1990)] Smith, S. D., Muench, R. D., and Pease, C. H.: Polynyas and leads: An overview of physical processes and environment, *J. Geophys. Res.*, 95, 1990.
- [Spicer et al.(2002)] Spicer, C. W., Plastridge, R. A., Foster, K. L., Finlayson-Pitts, B. J., Bottenheim, J. W., Grannas, A. M., and Shepson, P. B.: Molecular halogens before and during ozone depletion events in the Arctic at polar sunrise: concentra-

[Full Screen / Esc](#)[Printer-friendly Version](#)[Interactive Discussion](#)[Discussion Paper](#)

tions and sources, *Atmos. Environ.*, 36 (15-16), 2721–2731, doi:10.1016/S1352–2310(02)00125–5, 2002.

[Strunin et al.(1997)] Strunin, M. A., Postnov, A. A., and Mezrin, M. Y.: Meteorological potential for contamination of arctic troposphere: Boundary layer structure and turbulent diffusion characteristics, *Atmos. Res.*, 44, 37–51, 1997.

[Timm and Janek(2005)] Timm, H. and Janek, J.: On the Soret effect in binary nonstoichiometric oxides - kinetic demixing of cuprite in a temperature gradient, *Solid State Ionics*, 176 (11-12), 1131–1143, doi:10.1016/j.ssi.2005.01.010, 2005.

[Toyota et al.(2004)] Toyota, K., Kanaya, Y., Takahashi, M., and Akimoto, H.: A box model study on photochemical interactions between VOCs and reactive halogen species in the marine boundary layer, *Atmos. Chem. Phys.*, 4, 1961–1987, 2004.

[von Glasow et al.(2002a)] von Glasow, R., Sander, R., Bott, A., and Crutzen, P. J.: Modeling halogen chemistry in the marine boundary layer. 2. Interactions with sulfur and cloud-covered MBL, *J. Geophys. Res.*, 107 (D17), 4323, doi:10.1029/2001JD000943, 2002a.

[von Glasow et al.(2002b)] von Glasow, R., Sander, R., Bott, A., and Crutzen, P. J.: Modeling halogen chemistry in the marine boundary layer 1. Cloud-free MBL, *J. Geophys. Res.*, 107 (D17), 4341, doi:10.1029/2001JD000942, 2002b.

[Wesely(1989)] Wesely, M. L.: Parameterization of surface resistances to gaseous deposition in regional-scale numerical models, *Atmos. Environ.*, 23, 1293–1304, 1989.

Interactive comment on *Atmos. Chem. Phys. Discuss.*, 7, 4521, 2007.

Full Screen / Esc

Printer-friendly Version

Interactive Discussion

Discussion Paper