

Supplement of

**A review of current knowledge concerning PM_{2.5} chemical composition,
aerosol optical properties, and their relationships across China**

Jun Tao et al.

Correspondence to: Leiming Zhang (leiming.zhang@canada.ca)

Contents

Table S1a: Summary of mass concentrations ($\mu\text{g m}^{-3}$) of $\text{PM}_{2.5}$ and its dominant chemical components in Beijing-Tianjin-Hebei of China.

Table S1b: Summary of mass concentrations ($\mu\text{g m}^{-3}$) of $\text{PM}_{2.5}$ and its dominant chemical components in Yangtze River Delta of China.

Table S1c: Summary of mass concentrations ($\mu\text{g m}^{-3}$) of $\text{PM}_{2.5}$ and its dominant chemical components in Pearl River Delta of China.

Table S1d: Summary of mass concentrations ($\mu\text{g m}^{-3}$) of $\text{PM}_{2.5}$ and its dominant chemical components in other regions of China.

Table S2a: Summary of aerosol scattering and absorption coefficient in Beijing-Tianjin-Hebei of China.

Table S2b: Summary of aerosol scattering and absorption coefficient in Yangtze River Delta of China.

Table S2c: Summary of aerosol scattering and absorption coefficient in Pearl River Delta of China.

Table S2d: Summary of aerosol scattering and absorption coefficient in other regions of China.

Table S3: Summary of aerosol hygroscopic parameters in China.

References cited in SI.

Table S1a: Summary of mass concentrations ($\mu\text{g m}^{-3}$) of PM_{2.5} and its dominant chemical components in Beijing-Tianjin-Hebei of China

Location	Period	Annual/seasonal	PM _{2.5} ($\mu\text{g m}^{-3}$)					References	
			Mass	OC	EC	SO ₄ ²⁻	NO ₃ ⁻		NH ₄ ⁺
Urban studies									
Beijing	1999-2000	annual	121	25.3	9.4	14.3	10.1	6.4	He et al., 2001
	2000	annual	96	21.8	3.1	18.5	11.6	7	Song et al., 2006
	2001-2002	annual	102	25.8	9.9	10.2	7.4	5.7	Duan et al., 2006
	2001-2003	annual	154			17.1	11.5	8.7	Wang et al., 2005
	2005-2006	annual	94			14.4	8.3	6.8	He et al., 2012
	2005-2006	annual	119	24.5	8.2	15.8	10.1	7.3	Yang et al., 2011b
	2008	annual	89						Chen et al., 2014c
	2008	annual	110	19.1	8.5				Yang et al., 2011a
	2009	annual	81						Chen et al., 2014c
	2009-2010	annual	123	18.2	6.3	19.1	20.5	6.4	Zhao et al., 2013
	2009-2010	annual	135	16.9	5.0	13.6	11.3	6.9	Zhang et al., 2013
	2010	annual	81						Chen et al., 2014c
2012-2013	annual	102						Zhou et al., 2015	
Chengde	2009-2010	annual	92	19.0	7.3	13.0	5.8	4.1	Zhao et al., 2013
Shijianzhuang	2009-2010	annual	191	26.4	9.7	35.6	30.4	9.3	Zhao et al., 2013
Tianjin	2009-2010	annual	142	18.8	6.9	25.0	18.8	7.6	Zhao et al., 2013
BTH	Average	annual	115±30						
Beijing	1999-2000	spring	89	18.2	6.7	10.2	7.3	4.3	He et al., 2001
	2000	spring	134	23.2	3.7	24.4	22.4	12.2	Song et al., 2006
	2001	spring	119	21.5	6.5				Yang et al., 2005a
	2002	spring	76	19.6	10.1	6.7	4.7	4.1	Duan et al., 2006
	2003	spring	78	14.1	7.6				Dan et al., 2004
	2001-2003	spring	162			13.5	11.9	6.5	Wang et al., 2005
	2009-2010	spring	128	15.8	5.2	16.4	20.4	6.8	Zhao et al., 2013
	2009-2010	spring	126	13.7	2.8	14.7	15.5	7.5	Zhang et al., 2013
	2012	spring	210						Chen et al., 2014a

	Average	spring	125±43						
	2000	summer	99	16.4	3.1	28.5	5.5	7.4	Song et al., 2006
	2001	summer	94	17.1	8.0				Yang et al., 2005a
	2001	summer	113	13.7	4.7				Dan et al., 2004
	2001-2003	summer	93			18.4	11.2	10.1	Wang et al., 2005
	2002	summer	89	14.9	8.4	13.4	5.4	5.9	Duan et al., 2006
	2002	summer	91	10.7	5.7				Dan et al., 2004
	2003	summer	132	19.7	5.7	22.6	13.7	9.8	Cao et al., 2012b
	2003	summer	94	19.2	7.0				Chan et al., 2005
	2002-2003	summer	78	10.7	5.9	18.3	12.9	10.4	Sun et al., 2004
	2004	summer	52	10.9	4.0	8.7	3.7	3.3	Song et al., 2007
	2005	summer	68	8.2	4.9	22.5	9.7	5.4	Pathak et al., 2011
	2006	summer	102			34.8	24.5	20.7	Han et al., 2014
	2008	summer	59			13.1	3.9	8.4	Okuda et al., 2011
	2009-2010	summer	116	10.1	5.9	33.8	22.8	8.4	Zhao et al., 2013
	2009-2010	summer	138	11.1	4.2	23.5	11.8	11.0	Zhang et al., 2013
	2012	summer	103	16.8	3.6	20.6	15.8	8.3	Tian et al., 2015
	Average	summer	95±24						
	1999-2000	autumn	112	28.8	10.2	12.6	11.2	4.9	He et al., 2001
	2000	autumn	106	24.9	4.0	15.1	17.9	7.2	Song et al., 2006
	2001	autumn	80	23.1	10.4	9.6	8.2	5.9	Duan et al., 2006
	2001.9-11	autumn	92	21.0	10.7				Yang et al., 2005a
	2001-2003	autumn	105			12.7	9.1	6.3	Wang et al., 2005
	2009-2010	autumn	124	20.2	7.1	11.5	21.5	5	Zhao et al., 2013
	2009-2010	autumn	135	17.8	5.3	7.9	10.7	4.7	Zhang et al., 2013
	2013	autumn	117			7.3	14.4	8.3	Yang et al., 2016
	2014	autumn	90			4.9	9.9	4.2	Yang et al., 2016
	Average	autumn	107±17						
	1999-2000	winter	176	31.5	11.1	24.9	15.4	7.8	He et al., 2001
	2000	winter	61	23.4	2.0	8.5	5.0	3.4	Song et al., 2006

	2001	winter	122	32.2	11.3	9.9	10.7	7.1	Duan et al., 2006
	2001	winter	471	56.9	34.3				Dan et al., 2004
	2001	winter	184	40.1	9.9				Yang et al., 2005a
	2002	winter	169	36.7	15.2				Dan et al., 2004
	2001-2003	winter	214			21.0	12.3	10.6	Wang et al., 2005
	2002-2003	winter	153	35.7	14.2	27.8	16.6	15.5	Sun et al., 2004
	2003	winter	116	23.9	6.2	20.0	13.1	9.4	Cao et al., 2012b
	2004	winter	107	33.6	8.3	12.7	8.3	6.0	Song et al., 2007
	2006	winter	142			20.9	17.3	12.8	Tan et al., 2016
	2009-2010	winter	127	26.8	7.1	14.2	17.1	5.2	Zhao et al., 2013
	2009-2010	winter	139	24.9	7.5	8.5	7.3	4.5	Zhang et al., 2013
	2013	winter	159	35.8*	5.5	25.4	19.0	15.6	Tao et al., 2015a
	2013	winter	143	25.7	6.9	23.9	20.2	16.5	Huang et al., 2014b
	2014	winter	138	29.0	5.2	21.0	26.0	14.1	Lin et al., 2016
	Average	winter	164±89						
Tianjin	2008	spring	108	14.4	5.0				Gu et al., 2010
	2009-2010	spring	136	13.6	5.5	20.6	18.8	7.1	Zhao et al., 2013
	Average	spring	122±20						
	2003.7	summer	102	16.4	3.9	22.1	8.7	7.7	Cao et al., 2012b
	2008	summer	87	10.2	5.5				Gu et al., 2010
	2009-2010	summer	161	12.7	5.9	42.7	21.1	10.6	Zhao et al., 2013
	Average	summer	117±39						
	2008	autumn	111	20.2	6.5				Gu et al., 2010
	2009-2010	autumn	152	23.1	8.8	15.8	20.1	6.4	Zhao et al., 2013
	Average	autumn	132±29						
	2003	winter	203	43.0	8.9	32.5	25.5	22.2	Cao et al., 2012b
	2006-2007	winter	223	46.0	8.0	39.7	15.9	11.2	Li et al., 2009
	2008	winter	134	22.9	5.6				Gu et al., 2010
	2008	winter	145	33.8	9.1	24.1	16.6	8.7	Gu et al., 2011
	2009-2010	winter	117	24.8	7.0	21.3	15.5	6.6	Zhao et al., 2013

	Average	winter	164±47						
Shijiazhuang	2009-2010	spring	175	19.6	7.8	28.9	26.5	8.7	Zhao et al., 2013
	2009-2010	summer	146	9.1	7.6	42.5	24.9	9.3	
	2009-2010	autumn	219	31.5	11.4	38	46.0	8.9	
	2009-2010	winter	227	46.5	12.1	33	25.3	10.5	
Chengde	2009-2010	spring	105	14.0	4.7	13.3	11.0	4.5	
	2009-2010	summer	68	10.5	4.5	19.6	4.6	4.7	
	2009-2010	autumn	74	19.0	7.2	9.2	2.6	3.4	
	2009-2010	winter	123	33.6	13.1	9.4	5.2	3.6	
Rural studies									
Shangdianzi	2009-2010	annual	72.0	10.8	3.9	13.8	12.2	4.5	Zhao et al., 2013
	2009-2010	spring	87	9.7	3.8	15.7	16.5	5.7	
	2009-2010	summer	71	5.7	3.3	24.2	12.4	6.3	
	2009-2010	autumn	73	10.7	3.9	8.7	11.2	3.2	
	2009-2010	winter	56	16.8	4.4	6.6	8.8	2.8	

*estimated by OM with a factor of 1.8

Table S1b: Summary of mass concentrations ($\mu\text{g m}^{-3}$) of $\text{PM}_{2.5}$ and its dominant chemical components in Yangtze River Delta of China

Location	Period	Annual/seasonal	$\text{PM}_{2.5}$ ($\mu\text{g m}^{-3}$)					References	
			Mass	OC	EC	SO_4^{2-}	NO_3^-		NH_4^+
Urban studies									
Nanjing	2011-2014	annual	118	13.8	5.3				Li et al., 2015
	2013	annual	142	22.9	8	27.9	15.6	6.2	Li et al., 2016
Shanghai	1999-2000	annual	65	14.9	6.5	14.0	6.0	5.9	Ye et al., 2003
	2003-2005	annual	95			10.4	6.2	3.8	Wang et al., 2006
	2005-2006	annual	93	16.1	2.9				Feng et al., 2009
	2009	annual	94	14.0	4.1	11.7	7.7	4.1	Zhao et al., 2015b
	2012	annual	68	10.7	2.0	12.9	12.6	5.6	Zhao et al., 2015b
	2011-2013	annual	47	9.5	2.1	10.2	9.2	6.0	Wang et al., 2016a
Hangzhou	2004-2005	annual	108			17.0	8.3	9.3	Liu et al., 2015
YRD	Average	annual	92±29						
Nanjing	2011	spring	91	7.1	3.1	13.6	6.6	5.7	Shen et al., 2014
	2011-2014	spring	85	8.5	3.8				Li et al., 2015
	2013	spring	117	21.4	7.5	24.5	9.5	6.3	Li et al., 2016
	Average	spring	97±17						
	2011-2014	summer	77	7.6	3.1				Li et al., 2015
	2011	summer	70	6.7	2.6	14.6	6.3	7.9	Shen et al., 2014
	2013	summer	83	17.4	6.2	18.1	5.7	4.9	Li et al., 2016
	Average	summer	77±7						
	2001	autumn	47	10.8	4.0	11.5	3.2	3.6	Yang et al., 2005b
	2011-2014	autumn	96	15.7	5.9				Li et al., 2015
	2013	autumn	83	32.6	11.4	15.0	6.5	3.7	Li et al., 2016
	Average	autumn	75±25						
	2001	winter	74	14.9	3.1	19.2	10.5	10.4	Yang et al., 2005b
	2011-2014	winter	201	22.5	8.2				Li et al., 2015
	2013	winter	247	35.3	11.4	46.9	33.8	8.8	Li et al., 2016
Average	winter	174±89							

Shanghai	1999-2000	spring	62	16.1	5.3	12.6	5.4	5.5	Ye et al., 2003
	2003-2005	spring	135			11.7	9.1	4.1	Wang et al., 2006
	2005-2006	spring	113	15.3	3.2				Feng et al., 2009
	2006-2007	spring	47	8.4	3.7				Hou et al., 2011
	2011-2012	spring	70	9.5	1.7	15.3	8.6	6.4	Zhao et al., 2015a
	2011-2013	spring	49	9.9	2.3	11.0	11.0	6.9	Wang et al., 2016a
	2012	spring	64	8.1	2.7	12	10.8	4.3	Huang et al., 2014a
	Average	spring	77±34						
	1999-2000	summer	36	11.3	5.2	9.7	3.8	3.4	Ye et al., 2003
	2003	summer	54	13.4	5.4	12	2.6	3.5	Cao et al., 2012b
	2003-2005	summer	72			5.4	2.6	2.4	Wang et al., 2006
	2005	summer/spring	67	16.9	10.0	15.6	7.2	4.2	Pathak et al., 2011
	2005-2006	summer	59	9.3	2.3				Feng et al., 2009
	2006-2007	summer	15	3.8	1.1				Hou et al., 2011
	2009	summer	40	6.8	1.8				Cao et al., 2013
	2011-2012	summer	51	6.2	1.4	9.7	5.6	3.6	Zhao et al., 2015a
	2011-2013	summer	31	7.9	2.0	8.1	5.2	4.2	Wang et al., 2016a
	Average	summer	47±18						
	1999-2000	autumn	66	16.3	6.9	13.9	5.1	6.5	Ye et al., 2003
	2003-2005	autumn	96			8.7	3.7	3.6	Wang et al., 2006
	2005-2006	autumn	110	23.8	3.9				Feng et al., 2009
	2006-2007	autumn	36	6.5	2.1				Hou et al., 2011
	2011-2012	autumn	82	12.8	2.4	17.9	20.2	7.8	Zhao et al., 2015a
	2011-2013	autumn	41	8.7	1.9	8.8	7.4	4.8	Wang et al., 2016a
	Average	autumn	72±30						
	1999-2000	winter	91	17.0	8.1	18.5	9.9	7.8	Ye et al., 2003
	2003	winter	139	26.7	8.6	21.6	17.5	14.5	Cao et al., 2012b
	2003-2005	winter	83			10.4	6.2	4.4	Wang et al., 2006
	2005-2006	winter	91	16.4	2.3				Feng et al., 2009
	2006-2007	winter	65	10.9	4.4				Hou et al., 2011

	2009	winter	91						Feng et al., 2012
	2011-2012	winter	70	14.1	2.4	11.6	13.2	5.6	Zhao et al., 2015a
	2011-2013	winter	65	11.2	2.3	13.0	13.2	8.3	Wang et al., 2016a
	2013	winter	91	27.3*	2.2	10.8	12.4	7.5	Huang et al., 2014b
	Average	winter	87±23						
Hangzhou	2004-2005	spring	116			18.2	8.5	10.1	Liu et al., 2015
	2004-2005	summer	73			14.6	4.6	6.3	Liu et al., 2015
	2003	summer	80	15.2	3.5	16.5	5.5	5.3	Cao et al., 2012b
	2004-2005	autumn	114			19.1	9.3	9.9	Liu et al., 2015
	2003	winter	177	30.5	9.1	33.4	25.7	19.1	Cao et al., 2012b
	2004-2005	winter	136			15.8	10.8	11.2	Liu et al., 2015
Rural studies									
Lin'an	2008-2009	annual	60	10.3	1.5				Feng et al., 2015
	2008-2009	spring	87	13.4	2.2				
	2008-2009	summer	36	5.7	0.8				
	2008-2009	autumn	53	9.7	1.3				
	2008-2009	winter	63	12.2	1.8				
Ningbo	2009-2010	annual	46	7.1	2.5				Liu et al., 2013a
	2009-2010	spring	56	8.6	3.1				
	2009-2010	summer	17	2.7	0.8				
	2009-2010	autumn	37	5.8	1.9				
	2009-2010	winter	73	11.0	4.1				

*estimated by OM with a factor of 1.6

Table S1c: Summary of mass concentrations ($\mu\text{g m}^{-3}$) of $\text{PM}_{2.5}$ and its dominant chemical components in Pearl River Delta of China

Location	Period	Annual/seasonal	$\text{PM}_{2.5}$ ($\mu\text{g m}^{-3}$)					References	
			Mass	OC	EC	SO_4^{2-}	NO_3^-		NH_4^+
Urban studies									
Guangzhou	2002-2003	annual	71	17.6	4.4	14.7	4.0	4.5	Hagler et al., 2006
	2009-2010	annual	77	9.0	6.0	18.1	7.8	5.1	Tao et al., 2014c
	2014	annual	48	8.2	4.0	9.3	2.2	3.8	Tao et al., 2017
Shenzhen	2002-2003	annual	47	11.1	3.9	10.0	2.3	3.2	Hagler et al., 2006
	2009	annual	42	8.3	4.7	11.7	2.7	3.5	Huang et al., 2013
Hong kong	2000-2001	annual	34	8.7	5.4	9.1	1.3	2.9	Louie et al., 2005b
	2002-2003	annual	34	6.6	1.9	9.3	1.0	2.5	Hagler et al., 2006
Zhongshan	2002-2003	annual	47	10.5	2.5	11.9	1.8	3.3	Hagler et al., 2006
PRD	Average	annual	50±16						
Guangzhou	2007	spring	79	14.8	8.1	21.6	9.5	7.3	Tao et al., 2009
	2009	spring	76	8.3	6.1	17.8	9.9	6.0	Tao et al., 2014c
	2014	spring	44	7.5	4.2	8.2	2.4	3.6	Tao et al., 2017
	Average	spring	66±19						
	2002	summer	66	13.1	4.6	15.7	2.9	0.6	Cao et al., 2004;Lai et al., 2007
	2003	summer	40	9.9	1.3	6.4	1.2	1.2	Cao et al., 2012b
	2004	summer	75						Huang et al., 2007
	2004	summer	105	17.5	5.4				Duan et al., 2007
	2006	summer	61	9.9	4.9	16.3	2.7		Jung et al., 2009
	2009	summer	39	5.6	3.5	9.2	2.0	1.6	Tao et al., 2014c
	2013	summer	51	11.0	2.6	8.9	4.9	4.0	Cui et al., 2015
	2014	summer	37	6.1	3.5	7.6	0.3	2.6	Tao et al., 2017
	Average	summer	59±23						
	2004	autumn	103	22.4	7.1	27.8	4.3	12.1	Andreae et al., 2008
	2009	autumn	89	10.4	6.7	27.5	6.4	6.4	Tao et al., 2014c
2010	autumn	87	14.0	6.8	18.5	5.2	4.7	Tao et al., 2015b	

	2011	autumn/winter	72						Jahn et al., 2013
	2013	autumn/winter	68	15.7	2.8	9.8	7.3	4.5	Cui et al., 2015
	2014	autumn	48	7.9	3.6	11.4	1.0	4.4	Tao et al., 2017
	Average	autumn	78±19						
	2002	winter	91	17.8	6.0	15.0	10.2	3.9	Cao et al., 2004;Lai et al., 2007
	2003	winter	110	24.2	8.4	20.6	11.5	8.5	Cao et al., 2012b
	2004-2005	winter	124						Huang et al., 2007
	2005	winter	124	23.9	4.2				Duan et al., 2007
	2007-2008	winter	203	32.9	7.1	27.3	24.4	14.1	Tan et al., 2009
	2008-2009	winter	82	17.5	4.1	5.6	12.0	4.7	Yang et al., 2011b
	2010	winter	103	11.8	7.8	17.8	13.0	6.5	Tao et al., 2014c
	2012-2013	winter	75	10.8	2.1	10.6	5.8	5.1	Liu et al., 2014
	2013	winter	69	14.3*	3.5	12.7	8.9	6.9	Huang et al., 2014b
	2014	winter	63	11.6	5.0	9.8	5.5	4.8	Tao et al., 2017
	Average	winter	104±41						
Hong Kong	2000-2001	spring	29	6.4	5.3	9.1	1.2	2.7	Louie et al., 2005a
	2001	summer	29	5.6	4.3	4.6	0.4	0.8	Ho et al., 2006
	2000-2001	summer	26	6.3	6.0	7.6	0.6	2.2	Louie et al., 2005a
	2002	summer	31	5.6	3.2	5.7	1.5	0.1	Cao et al., 2004;Lai et al., 2007
	2003	summer	30	6.6	1.9	4.3	1.2	0.3	Cao et al., 2012b
	2004	summer	46	9.6	3.4				Duan et al., 2007
	2000-2001	autumn	34	7.4	4.7	11.6	0.6	3.6	Louie et al., 2005a
	2000-2001	winter	60	10.2	5.1	15.4	2.5	2.7	Ho et al., 2006
	2000-2001	winter	45	12.6	5.0	9.9	2.3	3.6	Louie et al., 2005a
	2002	winter	49	8.4	4.4	8.1	4.2	1.5	Cao et al., 2004;Lai et al., 2007
	2003	winter	88	13.3	6.9	21.4	9.5	8.0	Cao et al., 2012b
Rural studies									

Conghua	2002-2003	annual	37	9.1	1.4	10.4	0.3	2.4	Hagler et al., 2006
Tianhu	2012-2013	annual	44	6.1	0.8	12.2	2.0	5.2	Lai et al., 2016
Hok Tsui	2000-2001	annual	24	4.2	1.7	8.7	0.7	2.2	Louie et al., 2005b
Tianhu	2012-2013	spring	31	4.5	0.7	9.1	1.8	3.4	Lai et al., 2016
	2012-2013	summer	37	4.9	0.6	9.5	1.6	3.7	
Wanqingsha	2007	autumn	113	19.3	3.6	22.7	6.7	6.5	Fu et al., 2014
	2008	autumn/winter	104	22.7	4.2	15.7	8.8	5.4	
	2009	autumn/winter	95	17.2	5.5	17.0	11.5	7.1	
	2010	autumn/winter	89	18.3	3.3	17.2	10.9	7.5	
	2011	autumn/winter	79	15.2	3.1	14.2	9.6	6.6	Wang et al., 2012
2010	autumn/winter	71	14.9	2.6	13.5	8.5	6.0		
Tianhu	2012-2013	autumn	67	7.6	0.9	17.8	1.4	7.6	Lai et al., 2016
	Average	autumn	88±17						
Tianhu	2012-2013	winter	41	7.5	1.0	12.6	2.9	5.8	Lai et al., 2016

*estimated by OM with a factor of 1.6

Table S1d: Summary of mass concentrations ($\mu\text{g m}^{-3}$) of $\text{PM}_{2.5}$ and its dominant chemical components in other regions of China

Location	Period	Annual/seasonal	$\text{PM}_{2.5}$ ($\mu\text{g m}^{-3}$)					References	
			Mass	OC	EC	SO_4^{2-}	NO_3^-		NH_4^+
Urban studies									
Chongqing	2005-2006	annual	129	30.1	6.4	25.6	5.5	7.9	Yang et al., 2011b
	2012-2013	annual	76	15.2	4				Chen et al., 2014d
	2014-2015	annual	71						Wang et al., 2017
Chengdu	2009-2010	annual	165	22.6	9	32.8	19.7	10.4	Tao et al., 2013
	2011	annual	119	17	7	25	10.7	11.6	Tao et al., 2014a
	2012-2013	annual	94	19	4.6				Chen et al., 2014d
	2014-2015	annual	67						Wang et al., 2017
Neijiang	2012-2013	annual	80	18.3	4.1				Chen et al., 2014d
Sichuan basin	Average	annual	111±34						
Zhengzhou	2011	annual	194						Wang et al., 2015a
	2012	annual	183						
	2013	annual	215						
	2010	annual	175	20.1	3.9	25.7	16.7	15.6	Geng et al., 2013
Zhengzhou	Average	annual	192±17						
Xi'an	2006-2007	annual	169			35.8	19.3	10.6	Shen et al., 2009
	2006-2007	annual	194			34.3	15.6	10.7	Zhang et al., 2011b
	2010	annual	167	21.8	8	25.8	19.8	9.1	Wang et al., 2015b
Xi'an	Average	annual	177±15						
Lanzhou	2014	annual	89	17.7	9.0	5.6	5.2	2.9	Wang et al., 2016b
Jinan	2006-2007	annual	149	22.2	4.1	30.9	10.6	14.0	Yang et al., 2012
Wuhan	2012-2013	annual	107						Zhang et al., 2015a
Fuzhou	2007-2008	annual	44	8.5	2.2	10.8	4.4	3.9	Xu et al., 2012b
Xiamen	2009-2010	annual	70	18.3	3.2				Zhang et al., 2011a
		annual	86			11.2	6.0	4.5	Zhang et al., 2012
Zhengzhou	2010	spring	181	15.4	3.0	20.5	16.8	11.6	Geng et al., 2013
	2010	summer	122	10	1.8	32	11.1	15.7	

	2010	autumn	186	18.7	5.4	35.2	23.3	15.4	Wang et al., 2015a
	2010	winter	211	27.1	4.7	22.3	17.3	17.4	
	2011	spring	209						
	2012	spring	205						
	2013	spring	205						
	2011	summer	118						
	2012	summer	84						
	2013	summer	149						
	2011	autumn	266						
	2012	autumn	186						
	2013	autumn	168						
	2011	winter	283						
	2012	winter	257						
	2013	winter	338						
Jinan	2006-2007	spring	143	15.8	3.3	21.9	9.1	9.7	Yang et al., 2012
	2006-2007	summer	129	15.0	3.1	37.4	6.7	14.7	
	2006-2007	autumn	135	24.0	4.5	27.8	9.2	12.6	
	2006-2007	winter	205	35.8	5.7	37.7	20.1	20.5	
Lanzhou	2014	spring	83	13.4	6.7	4.0	1.7	0.8	Wang et al., 2016
		summer	38	5.9	4.4	4.8	5.8	7.6	
		autumn	93	21.1	11.5	2.0	7.1	10.1	
		winter	141	30.3	13.4	1.3	3.6	6.0	
Chengdu	2009-2010	spring	133	20.7	5.7	15.5	9.7	4.7	Tao et al., 2013
	2009-2010	summer	114	14.9	7.1	27.8	12.1	4.7	
	2009-2010	autumn	188	23.3	11.6	36.5	25.5	13.8	
	2009-2010	winter	226	31.5	11.6	50.6	31.2	18.2	
	2011	spring	126	15.0	7.0	26.4	10.2	11.9	Tao et al., 2014a
	2011	summer	89	11.0	6.0	23.7	5.3	9.0	
	2011	autumn	111	20.0	7.0	19.2	12.9	11.1	
	2011	winter	158	22.0	8.0	31.8	15.5	15.3	

Wuhan	2012-2013	spring	133						Zhang et al., 2015a
	2012-2013	summer	49						
	2012-2013	autumn	102						
	2012-2013	winter	143						
Fuzhou	2007-2008	spring	50	10.5	2.1	10.1	4.6	2.5	Xu et al., 2012b
	2007-2008	summer	24	5.3	2.0	6.6	1.1	1.3	
	2007-2008	autumn	44	7.7	2.2	11.6	3.1	3.9	
	2007-2008	winter	60	10.5	2.5	14.8	8.8	7.9	
Xiamen	2009-2010	spring	64	12.5	2.0				Zhang et al., 2011a
	2009-2010	summer	37	10.3	2.3				
	2009-2010	autumn	76	20.8	3.4				
	2009-2010	winter	106	29.5	4.9				
	2009-2010	spring	90	13.6	2.3	11.2	6.4	3.9	Zhang et al., 2012
	2009-2010	summer	62	9.7	2.2	7.1	3.1	2.7	
	2009-2010	autumn	84	14.0	3.0	10.3	4.8	3.9	
	2009-2010	winter	109	23.6	4.2	17.8	10.8	7.7	
Rural studies									
Jinsha	2012-2013	annual	49	7.3	0.7	13.2	5.0	5.6	Zhang et al., 2014
	2012-2013	spring	45	6.5	0.7	12.4	3.0	4.9	
	2012-2013	summer	34	3.8	0.4	9.9	1.5	4.1	
	2012-2013	autumn	42	7.1	0.6	11.7	4.7	5.0	
	2012-2013	winter	66	10.8	0.9	16.7	9.6	7.5	

Table S2-a: Summary of aerosol scattering and absorption coefficient in Beijing-Tianjin-Hebei of China

Location	Period	Annual/seasonal	b_{sp} (Mm^{-1})	b_{ap} (Mm^{-1})	BC ($\mu g m^{-3}$)	References
Urban studies						
Beijing	2005	annual	264	58		He et al., 2009
	2006	annual	310	53		
	2008-2009	annual	301			Zhao et al., 2011
	2009-2010	annual	360	64		Jing et al., 2015
	Average	annual	309±40	58±6		
	2005-2006	spring	243	45		He et al., 2009
	2008-2009	spring	292			Zhao et al., 2011
	2009-2010	spring	289	35		Jing et al., 2015
	Average	spring	275±27	40±7		
	1999	summer	488	83		Bergin et al., 2001
	2005-2006	summer	351	54		He et al., 2009
	2006	summer	361	52		Garland et al., 2009
	2006	summer	364	58		Han et al., 2014
	2006	summer	300	55		Liu et al., 2009
	2008	summer	424	46		Li et al., 2013b
	2009-2010	summer	344	58		Jing et al., 2015
	2012	summer	313	29		Tian et al., 2015
	Average	summer	368±61	54±15		
	2005-2006	autumn	311	67		He et al., 2009
	2008-2009	autumn	286			Zhao et al., 2011
	2009-2010	autumn	452	92		Jing et al., 2015
	Average	autumn	350±90	80±18		
	2005-2006	winter	259	58		He et al., 2009
	2008-2009	winter	325			Zhao et al., 2011
	2009-2010	winter	356	70		Jing et al., 2015
	2013	winter	723			Tao et al., 2015a
	2013	winter		46	5.5	Wu et al., 2016

	Average	winter	468±221	70±17		
Rural studies						
Shangdianzi	2003-2005	annual	175	18		Yan et al., 2008
	2008-2009	annual	182			Zhao et al., 2011
	2003-2005	spring	154	18		Yan et al., 2008
	2003-2005	summer	190	21		
	2003-2005	autumn	215	17		
	2003-2005	winter	116	9		
	2008-2009	spring	201			Zhao et al., 2011
	2008-2009	summer	206			
	2008-2009	autumn	112			
	2008-2009	winter	176			
Wuqing	2009	spring	280	47		Ma et al., 2011
	2009	summer	379	43		
	2010	winter	485			Chen et al., 2014b

Table S2-b: Summary of aerosol scattering and absorption coefficient in Yangtze River Delta of China

Location	Period	Annual/seasonal	b_{sp} (Mm^{-1})	b_{ap} (Mm^{-1})	BC ($\mu g m^{-3}$)	References
Urban studies						
Shanghai	2011-2012	annual		19	2.3	Zha et al., 2014
	2010	annual		31	3.8	Feng et al., 2014
	2011	annual		27	3.3	
	2010-2012	annual	217	38		Cheng et al., 2015
	2010	spring	102	44		Li et al., 2013a
	2010	spring		25	3.0	Feng et al., 2014
	2011	spring		30	3.6	
	2011-2012	spring		19	2.3	Zha et al., 2014
	2012	spring	91	35		Huang et al., 2014a
	2010	summer		33	4.0	Feng et al., 2014
	2011	summer		25	3.0	
	2011-2012	summer		20	2.4	Zha et al., 2014
	2010	autumn		35	4.2	Feng et al., 2014
	2011	autumn		25	3.0	
	2011-2012	autumn		14	1.7	Zha et al., 2014
	2010	winter		35	4.2	Feng et al., 2014
	2010-2011	winter	293	66		Xu et al., 2012a
	2011	winter		31	3.7	Feng et al., 2014
	2011-2012	winter		22	2.7	Zha et al., 2014
	2012	winter	289	28		Han et al., 2015
Nanjing	2009	autumn	697			Kang et al., 2013
Rural studies						
Lin'an	2013	spring	223			Zhang et al., 2015b
	1999	autumn	353	23		Xu et al., 2002

Table S2-c: Summary of aerosol scattering and absorption coefficient in Perl River Delta of China

Location	Period	Annual/seasonal	b_{sp} (Mm^{-1})	b_{ap} (Mm^{-1})	BC ($\mu g m^{-3}$)	References	
Urban studies							
Guangzhou	2009-2010	annual	326			Tao et al., 2014c	
	2004	annual		90	10.9	Wu et al., 2009	
	2005	annual		74	8.9		
	2006	annual		64	7.7		
	2007	annual		51	6.2		
	2009	spring		243		Tao et al., 2014c	
	2009	summer		95			
	2006	summer		212	47	Jung et al., 2009	
	2006	summer			39	4.7	Verma et al., 2010
	2008	summer			84	Wu et al., 2013	
	2008	summer			53		
	2009	autumn		473		Tao et al., 2014c	
	2004	autumn		418	91	Andreae et al., 2008	
	2010	winter		469		Tao et al., 2014c	
	2008-2009	winter			189	Wu et al., 2013	
2008-2009	winter			73			
Hong Kong	1998	spring	39	16	Man and Shih, 2001		
	1998	summer	8	5			
	1998	autumn	71	19			
	2010	autumn/winter	202	40	Gao et al., 2015		
	1997-1998	winter	65	26	Man and Shih, 2001		
	1998-1999	winter	97	31			
Dongguan	2008	summer		47	Wu et al., 2013		
	2008-2009	winter		96			
Shenzhen	2011	summer		25	4.0	Lan et al., 2013	
Rural studies							
Maofeng moutain	2008	summer		26		Wu et al., 2013	

	2008-2009	winter		29		
Xinken	2004	autumn	333	70		Cheng et al., 2008a
	2004	autumn	301	61		Cheng et al., 2006b
	2008-2009	winter		119		Wu et al., 2013
Backgarden	2006.7	summer	200	43		Garland et al., 2008
Hok Tsui	2000.6-2005.5	annual		20	2.4	Cheng et al., 2006a

Table S2-d: Summary of aerosol scattering and absorption coefficient in other regions of China

Location	Period	Annual/seasonal	b_{sp} (Mm^{-1})	b_{ap} (Mm^{-1})	BC ($\mu g m^{-3}$)	References
Urban studies						
Shouxian	2008	annual	401	29		Fan et al., 2010
Chengdu	2011	annual	456	96		Tao et al., 2014b
		spring	431	120		
		summer	318	79		
		autumn	488	98		
		winter	619	89		
Chengdu	2014-2015	annual	421	37		Wang et al., 2017
		spring	254	28		
		summer	236	18		
		autumn	447	41		
		winter	725	60		
Chongqing	2014-2015	annual		45		Wang et al., 2017
		spring		28		
		summer				
		autumn		48		
		winter		67		
Xi'an	2012	summer/autumn	272	31		Zhu et al., 2015
	2009	annual	525	83		Cao et al., 2012a
		spring	434	73		
		summer	455	58		
		autumn	606	107		
		winter	657	104		
Remote studies						
Dunhuang, Gansu	2004	spring	126			Yan, 2007
	2004	winter	303			
Dongsheng, Inner Mongolia	2004	spring	183			
	2004	winter	304			

Yulin,Shanxi	2001	spring	158	6		Xu et al., 2004
Zhangye,Gansu	2008	spring	159	10		Li et al., 2010

Table S3: Summary of aerosol hygroscopic parameters in China

Location	Period	Methods	Empirical formula	a	b		References
Urban studies							
Beijing	autumn,2007	Method1	$1+a \times (RH/100)^b$	8.80	9.70		Liu et al., 2013b
	autumn,2011			4.34	6.72		Liu et al., 2013c
	autumn,2014			3.79	6.10		Yang et al., 2015
Guangzhou	summer,2006	Method1		2.06	3.60	Urban aerosol	Liu et al., 2008
				3.26	3.85	Mixed aerosol	
				2.68	4.92	Marine aerosol	
	summer/autumn,2010	Method3	$((1-RH/100)/0.9)^{-a(RH/100)}$	0.54		Internal mixed	Lin et al., 2014
0.51		External mixed					
Rural studies							
Baodi,Tianjin	spring,2006	Method2	$1+a \times (RH/100)^b$	0.64	5.17	Dust	Pan et al., 2009
				1.20	6.07	Clean	
				2.30	6.27	Polluted	
Wuqing,Tianjin	winter,2010	Method2	$a \times (1-RH/100)^{-b(RH/100)}$	1.02	0.21		Chen et al., 2014b
Lin'an, Zhejiang	spring,2013	Method2	$1+a \times (RH/100)^b$	1.24	5.46	Locally polluted	Zhang et al., 2015b
				1.20	3.90	Northly polluted	
				1.02	4.51	Dust influnced	
Wanqingsha,Guangzhou	autumn,2004	Method3	$((1-RH/100)/0.9)^{-a(RH/100-0.1)}$	0.72			Cheng et al., 2008b

Method1: measures simultaneously dry and wet b_{sp} using nephelometer and visibility meter, respectively;

Method2: measures wet b_{sp} by integrating nephelometer equipped with a humidifier;

Method3: estimates dry and wet b_{sp} based on Mie theory with size-resolved chemical components.

References:

- Andreae, M. O., Schmid, O., Yang, H., Chand, D., Zhen Yu, J., Zeng, L. M., and Zhang, Y. H.: Optical properties and chemical composition of the atmospheric aerosol in urban Guangzhou, China, *Atmospheric Environment*, 42, 6335-6350, 2008.
- Bergin, M. H., Cass, G. R., Xu, J., Fang, C., Zeng, L., Yu, T., Salmon, L. G., Kiang, C. S., Tang, X. Y., and Zhang, Y.: Aerosol radiative, physical, and chemical properties in Beijing during June 1999, *Journal of Geophysical Research*, 106, 17969-17980, 2001.
- Cao, J., Wang, Q., Chow, J. C., Watson, J. G., Tie, X., Shen, Z., Wang, P., and An, Z.: Impacts of aerosol compositions on visibility impairment in Xi'an, China, *Atmospheric Environment*, 59, 559-566, 2012a.
- Cao, J., Lee, S., Ho, K., Zou, S., Fung, K., Li, Y., Watson, J. G., and Chow, J. C.: Spatial and seasonal variations of atmospheric organic carbon and elemental carbon in Pearl River Delta Region, China, *Atmospheric Environment*, 38, 4447-4456, 2004.
- Cao, J., Shen, Z., Chow, J. C., Watson, J. G., Lee, S., Tie, X., Ho, K., Wang, G., and Han, Y.: Winter and Summer PM_{2.5} Chemical Compositions in Fourteen Chinese Cities, *Journal of The Air & Waste Management Association*, 62, 1214-1226, 2012b.
- Cao, J. J., Zhu, C. S., Tie, X., Geng, F., Xu, H., Ho, S., Wang, G. H., Han, Y. M., and Ho, K. F.: Characteristics and sources of carbonaceous aerosols from Shanghai, China, *Atmospheric Chemistry and Physics*, 13, 803-817, 2013.
- Chan, C. Y., Xu, X., Li, Y. S., Wong, K. H., Ding, G. A., Chan, L. Y., and Cheng, X.: Characteristics of vertical profiles and sources of PM_{2.5}, PM₁₀ and carbonaceous species in Beijing, *Atmospheric Environment*, 39, 5113-5124, 2005.
- Chen, J., Qiu, S., Shang, J., Wilfrid, O. M. F., Liu, X., Tian, H., and Boman, J.: Impact of Relative Humidity and Water Soluble Constituents of PM_{2.5} on Visibility Impairment in Beijing, China, *Aerosol and Air Quality Research*, 14, 260-268, 2014a.
- Chen, J., Zhao, C. S., Ma, N., and Yan, P.: Aerosol hygroscopicity parameter derived from the light scattering enhancement factor measurements in the North China Plain, *Atmospheric Chemistry and Physics*, 14, 8105-8118, 10.5194/acp-14-8105-2014, 2014b.
- Chen, Y., Schleicher, N., Chen, Y., Chai, F., and Norra, S.: The influence of governmental mitigation measures on contamination characteristics of PM_{2.5} in Beijing, *Science of The Total Environment*, 490, 647-658, <http://dx.doi.org/10.1016/j.scitotenv.2014.05.049>, 2014c.
- Chen, Y., Xie, S., Luo, B., and Zhai, C.: Characteristics and origins of carbonaceous aerosol in the Sichuan Basin, China, *Atmospheric Environment*, 94, 215-223, <http://dx.doi.org/10.1016/j.atmosenv.2014.05.037>, 2014d.
- Cheng, T., Xu, C., Duan, J., Wang, Y., Leng, C., Tao, J., Che, H., He, Q., Wu, Y., Zhang, R., Li, X., Chen, J., Kong, L., and Yu, X.: Seasonal variation and difference of aerosol optical properties in columnar and surface atmospheres over Shanghai, *Atmospheric Environment*, 123, Part B, 315-326, <http://dx.doi.org/10.1016/j.atmosenv.2015.05.029>, 2015.
- Cheng, Y., Lee, S. C., Ho, K. F., Wang, Y. Q., Cao, J. J., Chow, J. C., and Watson, J. G.: Black carbon measurement in a coastal area of South China, *Journal of Geophysical Research*, 111, 1-11, 2006a.
- Cheng, Y., Wiedensohler, A., Eichler, H., Su, H., Gnauk, T., Brüggemann, E., Herrmann, H., Heintzenberg, J., Slanina, J., and Tuch, T.: Aerosol optical properties and related chemical apportionment at Xinken in Pearl River Delta of China, *Atmospheric Environment*, 42, 6351-6372, 2008a.
- Cheng, Y. F., Eichler, H., Wiedensohler, A., Heintzenberg, J., Zhang, Y. H., Hu, M., Herrmann, H., Zeng, L. M., Liu, S., and Gnauk, T.: Mixing state of elemental carbon and non - light - absorbing aerosol components derived from in situ particle optical properties at Xinken in Pearl River Delta of China, *Journal of Geophysical Research*, 111, 2006b.

- Cheng, Y. F., Wiedensohler, A., Eichler, H., Heintzenberg, J., Tesche, M., Ansmann, A., Wendisch, M., Su, H., Althausen, D., and Herrmann, H.: Relative humidity dependence of aerosol optical properties and direct radiative forcing in the surface boundary layer at Xinken in Pearl River Delta of China: An observation based numerical study, *Atmospheric Environment*, 42, 6373-6397, 2008b.
- Cui, H., Chen, W., Dai, W., Liu, H., Wang, X., and He, K.: Source apportionment of PM_{2.5} in Guangzhou combining observation data analysis and chemical transport model simulation, *Atmospheric Environment*, 116, 262-271, <http://dx.doi.org/10.1016/j.atmosenv.2015.06.054>, 2015.
- Dan, M., Zhuang, G., Li, X., Tao, H., and Zhuang, Y.: The characteristics of carbonaceous species and their sources in PM_{2.5} in Beijing, *Atmospheric Environment*, 38, 3443-3452, 2004.
- Duan, F., He, K., Ma, Y., Yang, F., Yu, X., Cadle, S., Chan, T., and Mulawa, P.: Concentration and chemical characteristics of PM_{2.5} in Beijing, China: 2001–2002, *Science of the Total Environment*, 355, 264-275, 2006.
- Duan, J., Tan, J., Cheng, D., Bi, X., Deng, W., Sheng, G., Fu, J., and Wong, M. H.: Sources and characteristics of carbonaceous aerosol in two largest cities in Pearl River Delta Region, China, *Atmospheric Environment*, 41, 2895-2903, 2007.
- Fan, X., Chen, H., Xia, X., Li, Z., and Cribb, M.: Aerosol optical properties from the Atmospheric Radiation Measurement Mobile Facility at Shouxian, China, *Journal of Geophysical Research*, 115, 2010.
- Feng, J., Sun, P., Hu, X., Zhao, W., Wu, M., and Fu, J.: The chemical composition and sources of PM_{2.5} during the 2009 Chinese New Year's holiday in Shanghai, *Atmospheric Research*, 118, 435-444, <http://dx.doi.org/10.1016/j.atmosres.2012.08.012>, 2012.
- Feng, J., Zhong, M., Xu, B., Du, Y., Wu, M., Wang, H., and Chen, C.: Concentrations, seasonal and diurnal variations of black carbon in PM_{2.5} in Shanghai, China, *Atmospheric Research*, 147, 1-9, 2014.
- Feng, J., Hu, J., Xu, B., Hu, X., Sun, P., Han, W., Gu, Z., Yu, X., and Wu, M.: Characteristics and seasonal variation of organic matter in PM_{2.5} at a regional background site of the Yangtze River Delta region, China, *Atmospheric Environment*, 123, Part B, 288-297, <http://dx.doi.org/10.1016/j.atmosenv.2015.08.019>, 2015.
- Feng, Y., Chen, Y., Guo, H., Zhi, G., Xiong, S., Li, J., Sheng, G., and Fu, J.: Characteristics of organic and elemental carbon in PM_{2.5} samples in Shanghai, China, *Atmospheric Research*, 92, 434-442, 2009.
- Fu, X., Wang, X., Guo, H., Cheung, K., Ding, X., Zhao, X., He, Q., Gao, B., Zhang, Z., Liu, T., and Zhang, Y.: Trends of ambient fine particles and major chemical components in the Pearl River Delta region: Observation at a regional background site in fall and winter, *Science of The Total Environment*, 497–498, 274-281, <http://dx.doi.org/10.1016/j.scitotenv.2014.08.008>, 2014.
- Gao, Y., Lai, S., Lee, S., Yau, P. S., Huang, Y., Cheng, Y., Wang, T., Xu, Z., Yuan, C., and Zhang, Y.: Optical properties of size-resolved particles at a Hong Kong urban site during winter, *Atmospheric Research*, 155, 1-12, 2015.
- Garland, R. M., Yang, H., Schmid, O., Rose, D., Nowak, A., Achtert, P., Wiedensohler, A., Takegawa, N., Kita, K., and Miyazaki, Y.: Aerosol optical properties in a rural environment near the mega-city Guangzhou, China: implications for regional air pollution, radiative forcing and remote sensing, *Atmospheric Chemistry and Physics*, 8, 5161-5186, 2008.
- Garland, R. M., Schmid, O., Nowak, A., Achtert, P., Wiedensohler, A., Gunthe, S. S., Takegawa, N., Kita, K., Kondo, Y., and Hu, M.: Aerosol optical properties observed during Campaign of Air Quality Research in Beijing 2006 (CAREBeijing-2006): Characteristic differences between the inflow and outflow of Beijing city air, *Journal of Geophysical Research*, 114, 2009.
- Geng, N., Wang, J., Xu, Y., Zhang, W., Chen, C., and Zhang, R.: PM_{2.5} in an industrial district of Zhengzhou, China: Chemical composition and source apportionment, *Particuology*, 11, 99-109, 2013.
- Gu, J., Bai, Z., Liu, A., Wu, L., Xie, Y., Li, W., Dong, H., and Zhang, X.: Characterization of Atmospheric Organic Carbon and Element Carbon of PM_{2.5} and PM₁₀ at Tianjin, China, *Aerosol and Air Quality Research*, 10, 167-176, 2010.
- Gu, J., Bai, Z., Li, W., Wu, L., Liu, A., Dong, H., and Xie, Y.: Chemical composition of PM_{2.5} during winter in Tianjin,

- China, *Particuology*, 9, 215-221, 2011.
- Hagler, G. S. W., Bergin, M. H., Salmon, L. G., Yu, J. Z., Wan, E. C. H., Zheng, M., Zeng, L. M., Kiang, C. S., Zhang, Y. H., Lau, A. K. H., and Schauer, J. J.: Source areas and chemical composition of fine particulate matter in the Pearl River Delta region of China, *Atmospheric Environment*, 40, 3802-3815, <http://dx.doi.org/10.1016/j.atmosenv.2006.02.032>, 2006.
- Han, T., Liu, X., Zhang, Y., Qu, Y., Gu, J., Ma, Q., Lu, K., Tian, H., Chen, J., and Zeng, L.: Characteristics of Aerosol Optical Properties and Their Chemical Apportionments during CAREBeijing 2006, *Aerosol and Air Quality Research*, 14, 1431-1442, 2014.
- Han, T., Qiao, L., Zhou, M., Qu, Y., Du, J., Liu, X., Lou, S., Chen, C., Wang, H., and Zhang, F.: Chemical and optical properties of aerosols and their interrelationship in winter in the megacity Shanghai of China, *Journal of Environmental Sciences*, 27, 59-69, 2015.
- He, K., Yang, F., Ma, Y., Zhang, Q., Yao, X., Chan, C. K., Cadle, S., Chan, T., and Mulawa, P.: The characteristics of PM_{2.5} in Beijing, China, *Atmospheric Environment*, 35, 4959-4970, 2001.
- He, K., Zhao, Q., Ma, Y., Duan, F., Yang, F., Shi, Z., and Chen, G.: Spatial and seasonal variability of PM_{2.5} acidity at two Chinese megacities: insights into the formation of secondary inorganic aerosols, *Atmospheric Chemistry and Physics*, 12, 1377-1395, [10.5194/acp-12-1377-2012](https://doi.org/10.5194/acp-12-1377-2012), 2012.
- He, X., Li, C., Lau, A., Deng, Z., Mao, J., Wang, M., and Liu, X.: An intensive study of aerosol optical properties in Beijing urban area, *Atmospheric Chemistry and Physics*, 9, 8903-8915, 2009.
- Ho, K. F., Lee, S. C., Cao, J. J., Chow, J. C., Watson, J. G., and Chan, C. K.: Seasonal variations and mass closure analysis of particulate matter in Hong Kong, *Science of The Total Environment*, 355, 276-287, 2006.
- Hou, B., Zhuang, G., Zhang, R., Liu, T., Guo, Z., and Chen, Y.: The implication of carbonaceous aerosol to the formation of haze: Revealed from the characteristics and sources of OC/EC over a mega-city in China, *Journal of Hazardous Materials*, 190, 529-536, <http://dx.doi.org/10.1016/j.jhazmat.2011.03.072>, 2011.
- Huang, G., Cheng, T., Zhang, R., Tao, J., Leng, C., Zhang, Y., Zha, S., Zhang, D., Li, X., and Xu, C.: Optical properties and chemical composition of PM_{2.5} in Shanghai in the spring of 2012, *Particuology*, 13, 52-59, 2014a.
- Huang, H., Lee, S. C., Cao, J. J., Zou, C. W., Chen, X. G., and Fan, S. J.: Characteristics of indoor/outdoor PM_{2.5} and elemental components in generic urban, roadside and industrial plant areas of Guangzhou city, China, *Journal of Environmental Sciences*, 19, 35-43, 2007.
- Huang, R. J., Zhang, Y., Bozzetti, C., Ho, K. F., Cao, J.-J., Han, Y., Daellenbach, K. R., Slowik, J. G., Platt, S. M., and Canonaco, F.: High secondary aerosol contribution to particulate pollution during haze events in China, *Nature*, 514, 218-222, 2014b.
- Huang, X., Yun, H., Gong, Z., Li, X., He, L., Zhang, Y., and Hu, M.: Source apportionment and secondary organic aerosol estimation of PM_{2.5} in an urban atmosphere in China, *Science China-earth Sciences*, 57, 1352-1362, 2013.
- Jahn, H. J., Kraemer, A., Chen, X. C., Chan, C. Y., Engling, G., and Ward, T. J.: Ambient and personal PM_{2.5} exposure assessment in the Chinese megacity of Guangzhou, *Atmospheric Environment*, 74, 402-411, 2013.
- Jing, J., Wu, Y., Tao, J., Che, H., Xia, X., Zhang, X., Yan, P., Zhao, D., and Zhang, L.: Observation and analysis of near-surface atmospheric aerosol optical properties in urban Beijing, *Particuology*, 18, 144-154, 2015.
- Jung, J., Lee, H., Kim, Y. J., Liu, X., Zhang, Y., Gu, J., and Fan, S.: Aerosol chemistry and the effect of aerosol water content on visibility impairment and radiative forcing in Guangzhou during the 2006 Pearl River Delta campaign, *Journal of environmental management*, 90, 3231-3244, 2009.
- Kang, H., Zhu, B., Su, J., Wang, H., Zhang, Q., and Wang, F.: Analysis of a long-lasting haze episode in Nanjing, China, *Atmospheric Research*, 120, 78-87, 2013.
- Lai, S., Zhao, Y., Ding, A., Zhang, Y., Song, T., Zheng, J., Ho, K. F., Lee, S., and Zhong, L.: Characterization of PM_{2.5} and the major chemical components during a 1-year campaign in rural Guangzhou, Southern China, *Atmospheric Research*, 167, 208-215, 2016.

- Lai, S. C., Zou, S. C., Cao, J. J., Lee, S. C., and Ho, K. F.: Characterizing ionic species in PM_{2.5} and PM₁₀ in four Pearl River Delta cities, South China, *Journal of Environmental Sciences*, 19, 939-947, 2007.
- Lan, Z., Huang, X., Yu, K., Sun, T., Zeng, L., and Hu, M.: Light absorption of black carbon aerosol and its enhancement by mixing state in an urban atmosphere in South China, *Atmospheric Environment*, 69, 118-123, 2013.
- Li, B., Zhang, J., Zhao, Y., Yuan, S., Zhao, Q., Shen, G., and Wu, H.: Seasonal variation of urban carbonaceous aerosols in a typical city Nanjing in Yangtze River Delta, China, *Atmospheric Environment*, 106, 223-231, <http://dx.doi.org/10.1016/j.atmosenv.2015.01.064>, 2015.
- Li, C., Tsay, S., Fu, J. S., Dickerson, R. R., Ji, Q., Bell, S. W., Gao, Y., Zhang, W., Huang, J., and Li, Z.: Anthropogenic air pollution observed near dust source regions in northwestern China during springtime 2008, *Journal of Geophysical Research*, 115, 2010.
- Li, H., Wang, Q., Yang, M., Li, F., Wang, J., Sun, Y., Wang, C., Wu, H., and Qian, X.: Chemical characterization and source apportionment of PM_{2.5} aerosols in a megacity of Southeast China, *Atmospheric Research*, 181, 288-299, <http://dx.doi.org/10.1016/j.atmosres.2016.07.005>, 2016.
- Li, L., Chen, J., Wang, L., Melluki, W., and Zhou, H.: Aerosol single scattering albedo affected by chemical composition An investigation using CRDS combined with MARGA, *Atmospheric Research*, 124, 149-157, 2013a.
- Li, W., Bai, Z., Liu, A., Chen, J., and Chen, L.: Characteristics of Major PM_{2.5} Components during Winter in Tianjin, China, *Aerosol and Air Quality Research*, 9, 105-119, 2009.
- Li, X., He, K., Li, C., Yang, F., Zhao, Q., Ma, Y., Cheng, Y., Ouyang, W., and Chen, G.: PM_{2.5} mass, chemical composition, and light extinction before and during the 2008 Beijing Olympics, *Journal of Geophysical Research: Atmospheres*, 118, 12, 158-112, 167, 2013b.
- Lin, Y., Hsu, S., Chou, C. C. K., Zhang, R., Wu, Y., Kao, S., Luo, L., Huang, C., Lin, S., and Huang, Y.: Wintertime haze deterioration in Beijing by industrial pollution deduced from trace metal fingerprints and enhanced health risk by heavy metals, *Environmental Pollution*, 208, 284, 2016.
- Lin, Z., Zhang, Z., Zhang, L., Tao, J., Zhang, R., Cao, J., Fan, S., and Zhang, Y.: An alternative method for estimating hygroscopic growth factor of aerosol light-scattering coefficient: a case study in an urban area of Guangzhou, South China, *Atmospheric Chemistry and Physics*, 14, 7631-7644, 2014.
- Liu, D., Li, J., Zhang, Y., Xu, Y., Liu, X., Ding, P., Shen, C., Chen, Y., Tian, C., and Zhang, G.: The Use of Levoglucosan and Radiocarbon for Source Apportionment of PM_{2.5} Carbonaceous Aerosols at a Background Site in East China, *Environmental Science & Technology*, 47, 10454, 2013a.
- Liu, G., Li, J., Wu, D., and Xu, H.: Chemical composition and source apportionment of the ambient PM_{2.5} in Hangzhou, China, *Particuology*, 18, 135-143, <http://dx.doi.org/10.1016/j.partic.2014.03.011>, 2015.
- Liu, J., Li, J., Zhang, Y., Liu, D., Ding, P., Shen, C., Shen, K., He, Q., Ding, X., and Wang, X.: Source Apportionment Using Radiocarbon and Organic Tracers for PM_{2.5} Carbonaceous Aerosols in Guangzhou, South China: Contrasting Local- and Regional-Scale Haze Events, *Environmental Science & Technology*, 48, 12002-12011, 2014.
- Liu, X., Cheng, Y., Zhang, Y., Jung, J., Sugimoto, N., Chang, S. Y., Kim, Y. J., Fan, S., and Zeng, L.: Influences of relative humidity and particle chemical composition on aerosol scattering properties during the 2006 PRD campaign, *Atmospheric Environment*, 42, 1525-1536, 2008.
- Liu, X., Zhang, Y., Jung, J., Gu, J., Li, Y., Guo, S., Chang, S., Yue, D., Lin, P., and Kim, Y. J.: Research on the hygroscopic properties of aerosols by measurement and modeling during CAREBeijing-2006, *Journal of Geophysical Research*, 114, 2009.
- Liu, X., Gu, J., Li, Y., Cheng, Y., Qu, Y., Han, T., Wang, J., Tian, H., Chen, J., and Zhang, Y.: Increase of aerosol scattering by hygroscopic growth: Observation, modeling, and implications on visibility, *Atmospheric Research*, 132-133, 91-101, <http://dx.doi.org/10.1016/j.atmosres.2013.04.007>, 2013b.
- Liu, X., Li, J., Qu, Y., Han, T., Hou, L., Gu, J., Chen, C., Yang, Y., Liu, X., and Yang, T.: Formation and evolution

- mechanism of regional haze: a case study in the megacity Beijing, China, *Atmospheric Chemistry and Physics*, 13, 4501-4514, 2013c.
- Louie, P. K., Watson, J. G., Chow, J. C., Chen, A., Sin, D. W., and Lau, A. K.: Seasonal characteristics and regional transport of PM_{2.5} in Hong Kong, *Atmospheric Environment*, 39, 1695-1710, 2005a.
- Louie, P. K. K., Chow, J. C., Chen, L. W. A., Watson, J. G., Leung, G., and Sin, D. W. M.: PM_{2.5} chemical composition in Hong Kong: urban and regional variations, *Science of The Total Environment*, 338, 267-281, <http://dx.doi.org/10.1016/j.scitotenv.2004.07.021>, 2005b.
- Ma, N., Zhao, C. S., Nowak, A., Müller, T., Pfeifer, S., Cheng, Y. F., Deng, Z. Z., Liu, P. F., Xu, W. Y., Ran, L., Yan, P., Göbel, T., Hallbauer, E., Mildenerger, K., Henning, S., Yu, J., Chen, L. L., Zhou, X. J., Stratmann, F., and Wiedensohler, A.: Aerosol optical properties in the North China Plain during HaChi campaign: an in-situ optical closure study, *Atmospheric Chemistry and Physics*, 11, 5959-5973, 10.5194/acp-11-5959-2011, 2011.
- Man, C. K., and Shih, M. Y.: Light scattering and absorption properties of aerosol particles in Hong Kong, *Journal of Aerosol Science*, 32, 795-804, 2001.
- Okuda, T., Matsuura, S., Yamaguchi, D., Umemura, T., Hanada, E., Orihara, H., Tanaka, S., He, K., Ma, Y., and Cheng, Y.: The impact of the pollution control measures for the 2008 Beijing Olympic Games on the chemical composition of aerosols, *Atmospheric Environment*, 45, 2789-2794, 2011.
- Pan, X. L., Yan, P., Tang, J., Ma, J. Z., Wang, Z. F., Gbaguidi, A., and Sun, Y. L.: Observational study of influence of aerosol hygroscopic growth on scattering coefficient over rural area near Beijing mega-city, *Atmospheric Chemistry and Physics*, 9, 7519-7530, 10.5194/acp-9-7519-2009, 2009.
- Pathak, R. K., Wang, T., Ho, K., and Lee, S.: Characteristics of summertime PM_{2.5} organic and elemental carbon in four major Chinese cities: implications of high acidity for water-soluble organic carbon (WSOC), *Atmospheric Environment*, 45, 318-325, 2011.
- Shen, G., Xue, M., Yuan, S., Zhang, J., Zhao, Q., Li, B., Wu, H., and Ding, A.: Chemical compositions and reconstructed light extinction coefficients of particulate matter in a mega-city in the western Yangtze River Delta, China, *Atmospheric Environment*, 83, 14-20, <http://dx.doi.org/10.1016/j.atmosenv.2013.10.055>, 2014.
- Shen, Z., Cao, J., Arimoto, R., Han, Z., Zhang, R., Han, Y., Liu, S., Okuda, T., Nakao, S., and Tanaka, S.: Ionic composition of TSP and PM_{2.5} during dust storms and air pollution episodes at Xi'an, China, *Atmospheric Environment*, 43, 2911-2918, 2009.
- Song, Y., Xie, S., Zhang, Y., Zeng, L., Salmon, L. G., and Zheng, M.: Source apportionment of PM_{2.5} in Beijing using principal component analysis/absolute principal component scores and UNMIX, *Science of the Total Environment*, 372, 278-286, 2006.
- Song, Y., Tang, X., Xie, S., Zhang, Y., Wei, Y., Zhang, M., Zeng, L., and Lu, S.: Source apportionment of PM_{2.5} in Beijing in 2004, *Journal of Hazardous Materials*, 146, 124-130, 2007.
- Sun, Y., Zhuang, G., Wang, Y., Han, L., Guo, J., Dan, M., Zhang, W., Wang, Z., and Hao, Z.: The air-borne particulate pollution in Beijing—concentration, composition, distribution and sources, *Atmospheric Environment*, 38, 5991-6004, 2004.
- Tan, J., Duan, J., He, K., Ma, Y., Duan, F., Chen, Y., and Fu, J.: Chemical characteristics of PM_{2.5} during a typical haze episode in Guangzhou, *Journal of Environmental Sciences*, 21, 774-781, 2009.
- Tan, J., Duan, J., Zhen, N., He, K., and Hao, J.: Chemical characteristics and source of size-fractionated atmospheric particle in haze episode in Beijing, *Atmospheric Research*, 167, 24-33, <http://dx.doi.org/10.1016/j.atmosres.2015.06.015>, 2016.
- Tao, J., Ho, K., Chen, L., Zhu, L., Han, J., and Xu, Z.: Effect of chemical composition of PM_{2.5} on visibility in Guangzhou, China, 2007 spring, *Particuology*, 7, 68-75, 2009.
- Tao, J., Cheng, T., Zhang, R., Cao, J., Zhu, L., Wang, Q., Luo, L., and Zhang, L.: Chemical composition of PM_{2.5} at an urban site of Chengdu in southwestern China, *Advances in Atmospheric Sciences*, 30, 1070-1084, 2013.
- Tao, J., Gao, J., Zhang, L., Zhang, R., Che, H., Zhang, Z., Lin, Z., Jing, J., Cao, J., and Hsu, S. C.: PM_{2.5} pollution in a

- megacity of southwest China: source apportionment and implication, *Atmospheric Chemistry and Physics*, 14, 8679-8699, 10.5194/acp-14-8679-2014, 2014a.
- Tao, J., Zhang, L., Cao, J., Hsu, S.-C., Xia, X., Zhang, Z., Lin, Z., Cheng, T., and Zhang, R.: Characterization and source apportionment of aerosol light extinction in Chengdu, southwest China, *Atmospheric Environment*, 95, 552-562, <http://dx.doi.org/10.1016/j.atmosenv.2014.07.017>, 2014b.
- Tao, J., Zhang, L., Ho, K., Zhang, R., Lin, Z., Zhang, Z., Lin, M., Cao, J., Liu, S., and Wang, G.: Impact of PM_{2.5} chemical compositions on aerosol light scattering in Guangzhou - the largest megacity in South China, *Atmospheric Research*, 135-136, 48-58, <http://dx.doi.org/10.1016/j.atmosres.2013.08.015>, 2014c.
- Tao, J., Zhang, L., Gao, J., Wang, H., Chai, F., and Wang, S.: Aerosol chemical composition and light scattering during a winter season in Beijing, *Atmospheric Environment*, 110, 36-44, <http://dx.doi.org/10.1016/j.atmosenv.2015.03.037>, 2015a.
- Tao, J., Zhang, L., Zhang, Z., Huang, R., Wu, Y., Zhang, R., Cao, J., and Zhang, Y.: Control of PM_{2.5} in Guangzhou during the 16th Asian Games period: Implication for hazy weather prevention, *Science of The Total Environment*, 508, 57-66, <http://dx.doi.org/10.1016/j.scitotenv.2014.11.074>, 2015b.
- Tao, J., Zhang, L., Cao, J., Zhong, L., Chen, D., Yang, Y., Chen, D., Chen, L., Zhang, Z., Wu, Y., Xia, Y., Ye, S., and Zhang, R.: Source apportionment of PM_{2.5} at urban and suburban areas of the Pearl River Delta region, south China - With emphasis on ship emissions, *Science of The Total Environment*, 574, 1559-1570, <http://dx.doi.org/10.1016/j.scitotenv.2016.08.175>, 2017.
- Tian, P., Wang, G., Zhang, R., Wu, Y., and Yan, P.: Impacts of aerosol chemical compositions on optical properties in urban Beijing, China, *Particuology*, 18, 155-164, <http://dx.doi.org/10.1016/j.partic.2014.03.014>, 2015.
- Verma, R. L., Sahu, L. K., Kondo, Y., Takegawa, N., Han, S., Jung, J., Kim, Y. J., Fan, S. J., Sugimoto, N., and Shammaa, M. H.: Temporal variations of black carbon in Guangzhou, China, in summer 2006, *Atmospheric Chemistry and Physics*, 10, 6471-6485, 2010.
- Wang, H. L., Qiao, L. P., Lou, S. R., Zhou, M., Ding, A. J., Huang, H. Y., Chen, J. M., Wang, Q., Tao, S. K., Chen, C. H., Li, L., and Huang, C.: Chemical composition of PM_{2.5} and meteorological impact among three years in urban Shanghai, China, *Journal of Cleaner Production*, 112, Part 2, 1302-1311, <http://dx.doi.org/10.1016/j.jclepro.2015.04.099>, 2016a.
- Wang, H., Shi, G., Tian, M., Zhang, L., Chen, Y., Yang, F., and Cao, X.: Aerosol optical properties and chemical composition apportionment in Sichuan Basin, China, *Science of The Total Environment*, 577, 245-257, <http://dx.doi.org/10.1016/j.scitotenv.2016.10.173>, 2017.
- Wang, J., Li, X., Jiang, N., Zhang, W., Zhang, R., and Tang, X.: Long term observations of PM_{2.5}-associated PAHs: Comparisons between normal and episode days, *Atmospheric Environment*, 104, 228-236, <http://dx.doi.org/10.1016/j.atmosenv.2015.01.026>, 2015a.
- Wang, P., Cao, J., Shen, Z., Han, Y., Lee, S., Huang, Y., Zhu, C., Wang, Q., Xu, H., and Huang, R.: Spatial and seasonal variations of PM_{2.5} mass and species during 2010 in Xi'an, China, *Science of The Total Environment*, 508, 477-487, <http://dx.doi.org/10.1016/j.scitotenv.2014.11.007>, 2015b.
- Wang, X., Ding, X., Fu, X., He, Q., Wang, S., Bernard, F., Zhao, X., and Wu, D.: Aerosol scattering coefficients and major chemical compositions of fine particles observed at a rural site in the central Pearl River Delta, south China, *Journal of Environmental Sciences*, 24, 72-77, 2012.
- Wang, Y., Jia, C., Tao, J., Zhang, L., Liang, X., Ma, J., Gao, H., Huang, T., and Zhang, K.: Chemical characterization and source apportionment of PM_{2.5} in a semi-arid and petrochemical-industrialized city, Northwest China, *Science of The Total Environment*, 573, 1031-1040, <http://dx.doi.org/10.1016/j.scitotenv.2016.08.179>, 2016b.
- Wang, Y., Zhuang, G., Tang, A., Yuan, H., Sun, Y., Chen, S., and Zheng, A.: The ion chemistry and the source of PM_{2.5} aerosol in Beijing, *Atmospheric Environment*, 39, 3771-3784, 2005.
- Wang, Y., Zhuang, G., Zhang, X. Y., Huang, K., Xu, C., Tang, A. H., Chen, J. M., and An, Z.: The ion chemistry; seasonal cycle; and sources of PM_{2.5} and TSP aerosol in Shanghai, *Atmospheric Environment*, 40, 2935-2952,

2006.

- Wu, D., Mao, J., Deng, X., Tie, X., Zhang, Y., Zeng, L., Li, F., Tan, H., Bi, X., and Huang, X.: Black carbon aerosols and their radiative properties in the Pearl River Delta region, *Science in China Series D: Earth Sciences*, 52, 1152-1163, 2009.
- Wu, D., Wu, C., Liao, B., Chen, H., Wu, M., Li, F., Tan, H., Deng, T., Li, H., and Jiang, D.: Black carbon over the South China Sea and in various continental locations in South China, *Atmospheric Chemistry and Physics*, 13, 12257-12270, 2013.
- Wu, Y., Zhang, R., Tian, P., Tao, J., Hsu, S. C., Yan, P., Wang, Q., Cao, J., Zhang, X., and Xia, X.: Effect of ambient humidity on the light absorption amplification of black carbon in Beijing during January 2013, *Atmospheric Environment*, 124, 217-223, 2016.
- Xu, J., Bergin, M., Yu, X., Liu, G., Zhao, J., Carrico, C., and Baumann, K.: Measurement of aerosol chemical, physical and radiative properties in the Yangtze delta region of China, *Atmospheric Environment*, 36, 161-173, 2002.
- Xu, J., Bergin, M. H., Greenwald, R., Schauer, J. J., Shafer, M. M., Jaffrezo, J. L., and Aymoz, G.: Aerosol chemical, physical, and radiative characteristics near a desert source region of northwest China during ACE-Asia, *Journal of Geophysical Research*, 109, 2004.
- Xu, J., Tao, J., Zhang, R., Cheng, T., Leng, C., Chen, J., Huang, G., Li, X., and Zhu, Z.: Measurements of surface aerosol optical properties in winter of Shanghai, *Atmospheric Research*, 109, 25-35, 2012a.
- Xu, L., Chen, X., Chen, J., Zhang, F., He, C., Zhao, J., and Yin, L.: Seasonal variations and chemical compositions of PM_{2.5} aerosol in the urban area of Fuzhou, China, *Atmospheric Research*, 104, 264-272, 2012b.
- Yan, H.: Aerosol scattering properties in northern China, *Atmospheric Environment*, 41, 6916-6922, 2007.
- Yan, P., Tang, J., Huang, J., Mao, J., Zhou, X., Liu, Q., Wang, Z., and Zhou, H.: The measurement of aerosol optical properties at a rural site in Northern China, *Atmospheric Chemistry and Physics*, 8, 2229-2242, 2008.
- Yang, F., He, K. B., Ye, B., Chen, X., Cha, L. Z., Cadle, S. H., Chan, T., and Mulawa, P. A.: One-year record of organic and elemental carbon in fine particles in downtown Beijing and Shanghai, *Atmospheric Chemistry and Physics*, 5, 1449-1457, 2005a.
- Yang, F., Huang, L., Duan, F., Zhang, W., He, K., Ma, Y., Brook, J. R., Tan, J., Zhao, Q., and Cheng, Y.: Carbonaceous species in PM_{2.5} at a pair of rural/urban sites in Beijing, 2005–2008, *Atmospheric Chemistry and Physics*, 11, 7893-7903, 10.5194/acp-11-7893-2011, 2011a.
- Yang, F., Tan, J., Zhao, Q., Du, Z., He, K., Ma, Y., Duan, F., and Chen, G.: Characteristics of PM_{2.5} speciation in representative megacities and across China, *Atmospheric Chemistry and Physics*, 11, 5207-5219, 2011b.
- Yang, H., Yu, J. Z., Ho, S. S. H., Xu, J., Wu, W., Wan, C. H., Wang, X., Wang, X., and Wang, L.: The chemical composition of inorganic and carbonaceous materials in PM_{2.5} in Nanjing, China, *Atmospheric Environment*, 39, 3735-3749, 2005b.
- Yang, H., Chen, J., Wen, J., Tian, H., and Liu, X.: Composition and sources of PM_{2.5} around the heating periods of 2013 and 2014 in Beijing: Implications for efficient mitigation measures, *Atmospheric Environment*, 124, Part B, 378-386, <http://dx.doi.org/10.1016/j.atmosenv.2015.05.015>, 2016.
- Yang, L., Zhou, X., Wang, Z., Zhou, Y., Cheng, S., Xu, P., Gao, X., Nie, W., Wang, X., and Wang, W.: Airborne fine particulate pollution in Jinan, China: concentrations, chemical compositions and influence on visibility impairment, *Atmospheric Environment*, 55, 506-514, 2012.
- Yang, Y., Liu, X., Qu, Y. Z., An, J., Jiang, R., Zhang, Y., Sun, Y., Wu, Z. J., Zhang, F., and Xu, W. Q.: Characteristics and formation mechanism of continuous hazes in China: a case study during the autumn of 2014 in the North China Plain, *Atmospheric Chemistry and Physics*, 15, 8165-8178, 2015.
- Ye, B., Ji, X., Yang, H., Yao, X., Chan, C. K., Cadle, S. H., Chan, T., and Mulawa, P. A.: Concentration and chemical composition of PM_{2.5} in Shanghai for a 1-year period, *Atmospheric Environment*, 37, 499-510, 2003.
- Zha, S., Cheng, T., Tao, J., Zhang, R., Chen, J., Zhang, Y., Leng, C., Zhang, D., and Du, J.: Characteristics and relevant remote sources of black carbon aerosol in Shanghai, *Atmospheric Research*, 135, 159-171, 2014.

- Zhang, F., Zhao, J., Chen, J., Xu, Y., and Xu, L.: Pollution characteristics of organic and elemental carbon in PM_{2.5} in Xiamen, China, *Journal of Environmental Sciences*, 23, 1342-1349, 2011a.
- Zhang, F., Xu, L., Chen, J., Yu, Y., Niu, Z., and Yin, L.: Chemical compositions and extinction coefficients of PM_{2.5} in peri-urban of Xiamen, China, during June 2009–May 2010, *Atmospheric Research*, 106, 150-158, 2012.
- Zhang, F., Cheng, H., Wang, Z., Lv, X., Zhu, Z., Zhang, G., and Wang, X.: Fine particles (PM_{2.5}) at a CAWNET background site in Central China: Chemical compositions, seasonal variations and regional pollution events, *Atmospheric Environment*, 86, 2014.
- Zhang, F., Wang, Z., Cheng, H., Lv, X., Gong, W., Wang, X., and Zhang, G.: Seasonal variations and chemical characteristics of PM_{2.5} in Wuhan, central China, *Science of The Total Environment*, 518–519, 97-105, <http://dx.doi.org/10.1016/j.scitotenv.2015.02.054>, 2015a.
- Zhang, L., Sun, J. Y., Shen, X. J., Zhang, Y. M., Che, H., Ma, Q. L., Zhang, Y. W., Zhang, X. Y., and Ogren, J. A.: Observations of relative humidity effects on aerosol light scattering in the Yangtze River Delta of China, *Atmospheric Chemistry and Physics*, 15, 8439-8454, 10.5194/acp-15-8439-2015, 2015b.
- Zhang, R., Jing, J., Tao, J., Hsu, S. C., Wang, G., Cao, J., Lee, C. S. L., Zhu, L., Chen, Z., Zhao, Y., and Shen, Z.: Chemical characterization and source apportionment of PM_{2.5} in Beijing: seasonal perspective, *Atmospheric Chemistry and Physics*, 13, 7053-7074, 10.5194/acp-13-7053-2013, 2013.
- Zhang, T., Cao, J., Tie, X., Shen, Z., Liu, S., Ding, H., Han, Y., Wang, G., Ho, K., and Qiang, J.: Water-soluble ions in atmospheric aerosols measured in Xi'an, China: seasonal variations and sources, *Atmospheric Research*, 102, 110-119, 2011b.
- Zhao, M., Huang, Z., Qiao, T., Zhang, Y., Xiu, G., and Yu, J.: Chemical characterization, the transport pathways and potential sources of PM_{2.5} in Shanghai: Seasonal variations, *Atmospheric Research*, 158, 66-78, 2015a.
- Zhao, M., Qiao, T., Huang, Z., Zhu, M., Xu, W., Xiu, G., Tao, J., and Lee, S.: Comparison of ionic and carbonaceous compositions of PM_{2.5} in 2009 and 2012 in Shanghai, China, *Science of The Total Environment*, 536, 695-703, <http://dx.doi.org/10.1016/j.scitotenv.2015.07.100>, 2015b.
- Zhao, P., Dong, F., He, D., Zhao, X., Zhang, X., Zhang, W., Yao, Q., and Liu, H.: Characteristics of concentrations and chemical compositions for PM_{2.5} in the region of Beijing, Tianjin, and Hebei, China, *Atmospheric Chemistry and Physics*, 13, 4631-4644, 2013.
- Zhao, X., Zhang, X., Pu, W., Meng, W., and Xu, X.: Scattering properties of the atmospheric aerosol in Beijing, China, *Atmospheric Research*, 101, 799-808, 2011.
- Zhou, B., Shen, H., Huang, Y., Li, W., Chen, H., Zhang, Y., Su, S., Chen, Y., Lin, N., Zhuo, S., Zhong, Q., Liu, J., Li, B., and Tao, S.: Daily variations of size-segregated ambient particulate matter in Beijing, *Environmental Pollution*, 197, 36-42, <http://dx.doi.org/10.1016/j.envpol.2014.11.029>, 2015.
- Zhu, C., Cao, J., Ho, K., Chen, L. W. A., Huang, R., Wang, Y., Li, H., Shen, Z., Chow, J. C., and Watson, J. G.: The optical properties of urban aerosol in northern China: A case study at Xi'an, *Atmospheric Research*, 160, 59-67, 2015.